



SNACK TIME SERVICES INC.



Bottle-less Water Coolers • Coffee Break Services
Workforce First Aid Supplies

The **ULTIMATE** Filter System

Is what we use in our Point-of-Use Water Coolers

Taste, Odor, Chlorine, Cyst and Lead Removal
5 micron Pre-Filter

<u>Taste and Odor Contaminants:</u>	<u>Removes</u>
Chlorine	90 - 99%
Chloramines Monochloramine	94 - 99 %
Dichloramine	99+%
Chlorophenols	
<i>fishy, musty, earthy tastes and odors</i>	90 - 99%
Detergents	96%

<u>Particulates:</u>	
1 micron particles	99.9%
Asbestos fibers	99%
Lead	95 - 99%
Cryptosporidium	99.95%
Giardia Lamblia	99.95%
Entamoeba histolytica cysts	99.5%

<u>Pesticide Pollutants:</u>	
p-Dichlorobenzene (10 ppm)	99%
Hexachlorobenzene (10 ppm)	99%
Chlordane	99%
Ethylene Dibromide (EDB)	99.9%

<u>Volatile Organic Chemicals (VOC's):</u>	
Chloroform and THM's	95 - 99%
Benzene	83 - 99%
Carbon Tetrachloride	88 - 99%
1, 1 -Dichloroethylene	86 - 99%
1,1,1 Trichloroethane	74 - 99%
1,2 Dichloroethane	95 - 99%
cis 1,3 Dichloroproene	95 - 99%
Monochlorobenzene	95 - 99%
Ethylbenzene	95 - 99%
1,2 Dichloropropane	95 - 99%
Hexachlorobutadiene	95 - 99%
1,1 Dichloroethane	95 - 99%
trans-1, 2 Dichloroethylene	95 - 99%
1, 2 Dichlorobenzene	95 - 99%

This filter element is tested & certified by NSF International under ANSI/NSF Standard 42 for the reduction of taste, odor and chlorine; and Standard 53 for lead & cvst reduction.



<u>Operating Specifications:</u>	
Capacity:	1,250 gallons lead reduction 2,500 gallons chlorine removal
Flow rate:	0.50 GPM (1.9 LPM)
Maximum Pressure:	125 PSIG
Temperature:	35 - 100°F 2 - 38°F

<u>Volatile Organic Chemicals (VOC's):</u>	<u>Removes</u>
p-Dichlorobenzene	94 - 99%
o-Xylene	95 - 99 %
Toulene	95 - 99%
Trichloroethylene (TCE)	98 - 99%
1,2, 2,2 Tetrachloroethane	95 - 99%
Tetrachloroethylene (PCE)	95 - 99%

For Information on any of our Services:
Email: info@h2oplusinc.com
1-888-735-3995